

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	317	ISDN and switch\$3 and hardware adj platform and (call (dial adj up) dial-up dial\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/23 13:57
S2	156	ISDN and switch\$3 and hardware adj platform and (call (dial adj up) dial-up dial\$3) and (@ad<"19981125" @rlad<"19981125" @rlan<"19981125")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/23 13:59
S3	102	ISDN and switch\$3 and hardware adj platform and (call (dial adj up) dial-up dial\$3) and (@ad<"19981125" @rlad<"19981125" @rlan<"19981125") and terminal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/23 14:03
S4	102	ISDN and switch\$3 and hardware adj platform and (call auto-call (automatic adj dial\$3) (dial adj up) dial-up dial\$3) and (@ad<"19981125" @rlad<"19981125" @rlan<"19981125") and terminal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/23 14:04
S5	8	ISDN and switch\$3 and hardware adj platform same(call auto-call (automatic adj dial\$3) (dial adj up) dial-up dial\$3) and (@ad<"19981125" @rlad<"19981125" @rlan<"19981125") and terminal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/23 15:33
S6	37	ISDN and hardware adj platform and processor with (call auto-call (automatic adj dial\$3) (dial adj up) dial-up dial\$3) and (@ad<"19981125" @rlad<"19981125" @rlan<"19981125") and terminal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/23 16:51
S7	17398697	ISDN same b adj3 channel\$1 (@ad<"19981125" @rlad<"19981125" @rlan<"19981125")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/23 16:52
S8	2183	ISDN same b adj3 channel\$1 and (@ad<"19981125" @rlad<"19981125" @rlan<"19981125")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/23 16:53

S9	231	ISDN same b adj3 channel\$1 with switch and (@ad<"19981125" @rlad<"19981125" @rlan<"19981125")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/23 16:54
S10	0	ISDN same b adj3 channel\$1 with switch with trunk43 and (@ad<"19981125" @rlad<"19981125" @rlan<"19981125")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/23 16:54
S11	11	ISDN same b adj3 channel\$1 with switch with trunk\$3 and (@ad<"19981125" @rlad<"19981125" @rlan<"19981125")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/23 16:55
S12	0	(dial-up dialup dial adj up) and ISDN same b adj3 channel\$1 with switch with trunk\$3 and (@ad<"19981125" @rlad<"19981125" @rlan<"19981125")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/23 16:57
S13	0	(dial-up dialup dial adj up) and ISDN same b adj3 channel\$1 with isdn with switch\$3 with trunk\$3 and (@ad<"19981125" @rlad<"19981125" @rlan<"19981125")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/23 16:58
S15	0	b adj3 channel\$1 with isdn with switch\$3 with trunk\$3 and (dial-up dialup dial adj up) and (@ad<"19981125" @rlad<"19981125" @rlan<"19981125")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/23 17:02
S16	1	b adj3 channel\$1 with isdn with switch\$3 with trunk\$3 and (dial-up dialup dial adj up)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/23 17:02
S17	18	b adj3 channel\$1 with isdn with switch\$3 with trunk\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/23 17:04

S18	487	b adj3 channel\$1 with isdn with switch\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/23 17:06
S21	382	b adj3 channel\$1 with isdn and switch\$3 with trunk\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/23 17:07
S22	100	S21 and (dial-up dialup dial adj up)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/23 17:08
S24	30	S21 and (dial-up dialup dial adj up) and unique with number and (@ad<"19981125" @rlad<"19981125" @rlan<"19981125")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/23 17:29
S25	0	WAP adj analyzer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/23 17:29
S26	0	WAP adj analyzer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/23 17:30
S27	3	WAP adj analyzer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/23 17:30
S28	384	b adj3 channel\$1 with isdn and switch\$3 with trunk\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 15:33

S29	33	S28 and (dial-up dialup dial adj up) and unique with number	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 15:33
S30	488	b adj3 channel\$1 with isdn with switch\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 15:34
S31	19	S30 with trunk\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 15:34
S32	16	b adj3 channel\$1 with isdn with switch\$3 with trunk\$3 and (@ad<"19981125" @rlad<"19981125" @rlan<"19981125")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 15:35
S33	19	S30 with trunk\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 15:38
S34	3	"6404858".PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 15:38
S35	0	"6404858".PN. and switch\$3 and trunk and (dial-up dial adj up) and B adj chanel and ISDN	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 15:41
S36	1	"6404858".PN. and switch\$3 and trunk and (dial-up dial adj up) and B adj channel and ISDN and card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 17:43

S37	76	switch\$3 and trunk and (dial-up dial adj up) and B adj channel and ISDN and card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 17:44
S38	5	switch\$3 and trunk and (auto automatic direct\$2) near5 (dial-up dial adj up) and B adj channel and ISDN and card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 18:02
S39	5	switch\$3 and (auto automatic direct\$2) near5 (dial-up dial adj up) and (B adj channel B-channel) and ISDN and card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 18:03
S40	152	switch\$3 and (dial-up dial adj up dial\$4) with (auto automatic direct directly)and (B adj channel B-channel) and ISDN and card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 18:05
S41	110	switch\$3 and (dial-up dial adj up dial\$4) near6 (auto automatic direct directly) and (B adj channel B-channel) and ISDN and card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 18:05
S42	110	switch\$3 and (dial-up or (dial adj up) or dial\$4) near6 (auto automatic direct directly) and ((B adj channel) or(B-channel)) and ISDN and card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 18:06
S43	106	switch\$3 and (dial-up or (dial adj up) or dial\$4) near3 (auto automatic direct directly) and ((B adj channel) or(B-channel)) and ISDN and card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 18:07
S44	105	switch\$3 and (dial-up or (dial adj up) or dial\$4) near2 (auto automatic direct directly) and ((B adj channel) or(B-channel)) and ISDN and card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 18:07

S45	86	switch\$3 and (dial-up or (dial adj up) or dial\$4) near1 (auto automatic direct directly) and ((B adj channel) or(B-channel)) and ISDN and card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 18:08
S46	77	S45 and (@ad<"19981125" @rlad<"19981125" @rlan<"19981125")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 11:10
S47	162634	S45 and (@ad<"19981125" @rlad<"19981125" @rlan<"19981125") and no siemens.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 18:11
S48	3	"4433411".PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 11:10
S49	3	("3644680" "3749845" "4100377").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/07 14:06
S50	245	370/420.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/07 14:07
S51	27	370/420.ccls. and ISDN and (B-channel B adj channel)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/08 23:11
S52	171	data same traffic and (B-channel B adj channel) and (cpu Processor) and subscriber same number and (dial-up dial\$3 dial adj up)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 16:01
S53	123	data with traffic and (B-channel B adj channel) and (cpu Processor) and subscriber same number and (dial-up dial\$3 dial adj up) and ISDN	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 16:02
S54	35	data same data traffic B-channel cpu subscriber same number	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/06/07 22:12

S55	15	data same data traffic B-channel cpu subscriber same number and dial-up	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/06/10 01:06
S56	0	data same data traffic B-channel cpu subscriber same number and none adj dial-up	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/06/08 17:38
S57	0	data same data traffic B-channel cpu subscriber same number and none adj dial	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/06/08 17:38
S58	0	data same data traffic B-channel cpu subscriber same number and none adj call	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/06/08 17:39
S59	14	data same data traffic B-channel cpu subscriber same number and call adj number	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/06/08 17:39
S60	14	370/419.ccls. and ISDN and (B-channel B adj channel)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/08 23:11
S61	10	370/419.ccls. and ISDN and (B-channel B adj channel) and (call dial-up dial adj up)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/08 23:36
S62	10	370/426.ccls. and ISDN and (B-channel B adj channel) and (call dial-up dial adj up).	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/08 23:51
S63	27	370/522.ccls. and ISDN and (B-channel B adj channel) and (call dial-up non-diallable) near3 number	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/09 00:18
S64	0	370/522.ccls. and ISDN and (B-channel B adj channel) and (none adj dial-up (non-diallable)) near3 number	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/08 23:54
S65	0	370/522.ccls. and ISDN and (B-channel B adj channel) and ((none-callable) none adj dial-up (non-diallable)) near3 number	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/08 23:55

S66	0	370/522.ccls. and ISDN and (B-channel B adj channel) and (none-callable) none adj dial-up (non-diallable))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/08 23:57
S67	0	370/522.ccls. and ISDN and (B-channel B adj channel) and (none-callable) none adj dial-up (non-diallable))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/08 23:58
S68	0	370/522.ccls. and ISDN and (B-channel B adj channel) and (none-callable) (none adj dial-up) (non-diallable))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/08 23:58
S69	53	370/524.ccls. and ISDN and (B-channel B adj channel) and (call dial-up non-diallable) near3 number	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/09 00:18
S70	53	370/524.ccls. and ISDN and (B-channel B adj channel) and (call dial-up non-diallable) near3 number	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/09 00:31
S71	1	370/524.ccls. and ISDN and (B-channel B adj channel) and (secur\$3 non-dialable) near3 number	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/09 12:45
S72	0	ISDN and (B-channel B adj channel) and non-dialable adj number	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/09 12:46
S73	14	non-dialable adj number	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/09 13:49
S74	13	non-dialable near5 number and ISDN	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/10 01:05
S75	0	non-dialable near5 number and ISDN and line same DSN	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/10 01:05
S76	7	data same data traffic B-channel cpu subscriber same number and dial-up and line same DNS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/06/10 01:12
S77	7	data same data traffic B-channel cpu subscriber same number and dial-up and port same DNS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/06/10 01:13